



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/643,918	08/20/2003	Ryoichi Nozawa	116886	4772
25944	7590	08/03/2006		EXAMINER
OLIFF & BERRIDGE, PLC			SANTIAGO, MARICELI	
P.O. BOX 19928				ART UNIT
ALEXANDRIA, VA 22320				PAPER NUMBER
			2879	

DATE MAILED: 08/03/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

10/643,918



UNITED STATES DEPARTMENT OF COMMERCE
U.S. Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

5

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT PAPER

20060728

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Attached is copy of a supplemental Examiner's Amendment to correct informalities in claims 1 and 14, not affecting the scope of the claims.

Mrsig
MARICELI SANTIAGO
PRIMARY EXAMINER

DETAILED ACTION

SUPPLEMENTAL EXAMINER'S AMENDMENT

A supplemental examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Klifton Kime on July 28, 2006.

The application has been amended as follows:

In the claims,

Claim 1, line 9, replace the phrase "the second electrode are provided" with -- a second electrode--,

Claim 14, line 3, replace the phrase "the substrate" with -- a substrate--.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mariceli Santiago whose telephone number is (571) 272-2464. The examiner can normally be reached on Monday-Friday from 9:30 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimesh Patel, can be reached on (571) 272-2457. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

Art Unit: 2879

applications is available through Private PAIR only. For more information about PAIR system,
see <http://pair-direct.uspto.gov>. Should you have questions on access to Private PAIR system,
contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Mariceli Santiago
Primary Examiner
Art Unit 2879